


Extend[®] IOL by Hanita Lenses

World's First
Bessel-Optics Monofocal Plus IOL






The Extend® Monofocal Plus IOL




Bessel beams, characterized by their unique non-diffractive propagation, "needle-shaped beam"^[1], and self-healing capabilities, are increasingly applied in ophthalmology for high-resolution imaging and enhanced fixation targets^[2].

Clinical Advantages from Bessel Optics

The Extend® IOL, powered by Bessel optics, delivers an extended depth of focus, rather than a single focal point, to cover both distance and intermediate vision without the complexity of multifocal designs.



The self-healing mechanism^[3] of Bessel beams enables them to restore their structure when partially obstructed, as unblocked wavefronts re-interfere to maintain stable imaging. This suggests the IOL might tolerate optical path obstructions like low-level PCO or floaters.




^{1.} Zhao, J., Winetraub, Y., DU, L., VAN Vleck, A., Ichimura, K., Huang, C., AAsl, S. Z., Sarin, K. Y., & DE LA Zerda, A. (2022, August 20). Flexible method for generating needle-shaped beams and its application in optical coherence tomography. Optica. https://pmc.ncbi.nlm.nih.gov/articles/PMC10243785/

^{2.} Suchand Sandeep, C. S., Khairyanto, A., Aung, T., & Vadakke Matham, M. (2023). Bessel beams in ophthalmology: A Review. Micromachines, 14(9), 1672. https://doi.org/10.3390/mi14091672

Aiello, A. (2014, December). Wave-optics description of self-healing mechanism in bessel beams | request PDF. ResearchGate. https://www.researchgate.net/publication/266971869_Wave-optics_description_of_self-healing_mechanism_in_Bessel_beams

Extend Your Patients' Vivid Moments With Clarity

Distance vision comparable to a standard monofocal IOL, along with functional intermediate vision.



Extend®: Bianchi et. al, Highlights of Ophthalmology 2023 Volume 51#2

Full Range Binocular Vision

By using a mini-monovision approach targeting small myopia in the non-dominant eye, a full range of functional vision can potentially be achieved.

Dominant eye: emmetropia

Non-dominant eye: mini-monovision











Extend[®]: Bessel-Powered Monofocal Reinvented




When tested with USAF target images, monofocal IOLs are sharp only at their preset focal point (e.g., distance "far-point" row), with marked blurring at off-focus states (-1.0D to -1.5D). In contrast, Extend® IOLs, using Bessel-powered extended focus technology, maintains discernible target clarity across all tested refractive states, enabling continuous distance-to-intermediate vision and outperforming monofocal designs.











Polychromatic PSF images taken at optimal saturation with a pupil diameter of 4.5 mm. Both IOLs showed comparable light distribution with a speckle-like pattern outside the PSF core.


At far focus, the Extend® IOL achieves a high-acuity logMAR of - 0.09, with stable vision maintained across a broad defocus range, enabling clear sight from far to intermediate distances.


The Extend® IOL delivers strong MTF performance: excellent detail retention at 50 lp/mm (0.32 \pm 0.00) with a 4.5-mm pupil for low-light clarity, and reliable contrast in bright 3-mm pupil scenarios. [1]













By addressing three key aspects—light spot focusing, vision stability, and detail recognition in both day and night conditions—data show that the Hanita Lenses Extend® IOL provides sharp distance vision, covers intermediate viewing ranges, and maintains clarity in low-light environments. This makes it particularly beneficial for patients who require high-quality postoperative vision, such as for night driving.



Hanita Lenses Extend® SL

OPTIC CI	HARACTERISTICS
Diopter range (SE)	+5.0 to +34.0 D
Diopter increment	0.5 D (+5.0 to +30.0 D)
	1.0 D (+30.0 to +34.0 D)
Additional power /DOF extensions	+1.20 D
Optical design	Modified high-order aspheric for extension
	of the depth of focus
GE	OMETRIES
Optic diameter	6.0 mm
Total diameter	13.0 mm
Haptic configuration	C-loop
Edge design	Square edge
Haptic angulation	5°
MATERIAI	L SPECIFICATIONS
Matarial	Hydrophobic acrylic with bonded UV
Material	absorber and violet light filter
Refractive index	1.48 (@35°C)
Abbe number	49
Filtration	UV and violet light
OPTIC	CAL BIOMETRY
SRK/T: A-constant	119
Holladay II: ACD	5.549
CONTACT UL	TRASOUND BIOMETRY
SRK/T: A-constant	118.5
Holladay II: ACD	5.257
RECOMMEND	ED DELIVERY SYSTEM






Preloaded Injector: Accuject 2.2



Hanita Lenses Extend® SL Toric

OPTIC CHARACTERISTICS		
Diopter range (SE)	+5.0 to +34.0 D	
Diopter increment	0.5 D (+5.0 to +30.0 D)	
	1.0 D (+30.0 to +34.0 D)	
Cylinder range	1.0, 1.5, 2.25, 3.0, 3.75, 4.5 D	
Additional power /DOF extensions	+1.20 D	
Optical design	Modified high-order aspheric for extension	
	of the depth of focus	
G	EOMETRIES	
Optic diameter	6.0 mm	
Total diameter	13.0 mm	
Haptic configuration	C-loop	
Edge design	Square edge	
Haptic angulation	5°	
MATER	IAL SPECIFICATIONS	
Material	Hydrophobic acrylic with bonded UV	
	absorber and violet light filter	
Refractive index	1.48 (@35°C)	
Abbe number	49	
Filtration	UV and violet light	
OPTI	CAL BIOMETRY	
SRK/T: A-constant	119	
Holladay II: ACD	5.549	
CONTACT UL	TRASOUND BIOMETRY	
SRK/T: A-constant	118.5	
Holladay II: ACD	5.257	
CALCULATOR	RECOMMENDED DELIVERY SYSTEM	







Preloaded Injector: Accuject 2.2

Extend® IOL by Hanita Lenses

Pioneering a new era of monofocal IOL technology.

- Distance vision comparable to standard monofocal IOLs
- Functional intermediate vision
- Excels in low light
- More tolerant of visual disturbances
- Overall performance comparable to industry benchmark





For healthcare professionals only.

Please read the Directions for Use for important safety information and consult our specialists if you have any questions.



